

SELECTION CRITERIA FOR ADULT/PEDIATRIC KIDNEY TRANSPLANT LISTING

INDICATIONS (Must have at least one)
End Stage Renal Disease
Documented creatinine clearance less than or equal to 20 ml/minute
Documentation of initiation of dialysis
Documented diagnosis of ESRD (GFR ≤ 20 mL/min) Pediatric patients (age < 18 years): medically indicated based on Pediatric Nephr
Adult patients may be listed preemptively with CKD IV without a qualifying GFR, but will
not accrue waiting time per OPTN until they have either documentation of initiation of dialysis or
documentation of GFR \leq 20 mL/min
REQUIREMENTS
Completion of multidisciplinary evaluation
Documentation of Hepatitis B Virus (HBV) vaccination status. If unvaccinated and vaccinatio
is not recommended by a transplant physician, documentation of the reason is required.
ABSOLUTE CONTRAINDICATIONS – (to be assessed and determined by transplant team)
Irreversible cardiac disease (i.e. CAD, low EF etc.)
Severe peripheral vascular disease (without an appropriate target vessel for transplantation)
Severe pulmonary hypertension (as determined by Pulmonary Arterial Pressure)
Untreated malignancy - with the exception of select, low risk cancers deemed appropriate by
transplant medical leadership
Active systemic infection except Hepatitis and HIV
Active non-compliance
Decompensated Cirrhosis
Current substance abuse (alcohol, drugs, chemicals)
Active psychosis
RELATIVE CONTRAINDICATIONS – (to be determined on a case by case basis)
Age ≥ 80 years
History of melanoma
Body mass index (BMI) > 40
Sickle cell disease
Sickie cell disease
Patient Acceptance Outside of Program Criteria - Patients can be accepted for waitlisting outside of
the above criteria at the discretion of program clinical and/or administrative leadership

Last revised: 03/2025